

ISEG
Technical University of Lisbon

**Introductory Workshop to
 Network Analysis of Texts**

**Clustering and
 blockmodeling**

Vladimir Batagelj
 University of Ljubljana

TYPE OF MEMBERSHIP	MEMBERS	EVENTS AND PARTICIPATIONS													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14
Cligue I: Core.....	1	C	C	C	C	C	C	-	C	C					
	2	C	C	C	-	C	C	C	C	C	-				
	3	-	C	C	C	C	C	C	C	C	C				
	4	C	-	C	C	C	C	C	C	C	C				
	5			P	P	P	P	-	P	-	-				
Primary... Secondary	6			P	-	P	P	-	P	-	-				
	7					P	P	P	P	-					
	8					-	S	-	S	S					
Cligue II: Secondary Primary... Core..... Secondary	9					S	-	S	S	S					
	10							S	S	S	-	-	S		
	11							-	P	P	P	-	P		
	12							-	P	P	P	-	P	P	
	13								C	C	C	-	C	C	C
	14					C	C	C	-	C	C	C	C	C	C
	15						C	C	-	C	C	C	C	C	C
	16								S	S	S	-	S		
17									S	-	S				
18									S	-	S				

Figure 2. Participation of the Southern Women in Events

Lisbon, Portugal: 2nd to 5th February 2004


organized by **SOCIUS** – Research Centre on Economic Sociology and the Sociology of Organisations

Outline

1	Matrix rearrangement view on blockmodeling	1
3	Blockmodeling as a clustering problem	3
12	Indirect Approach	12
18	Example: Support network among informatics students	18
23	Direct Approach and Generalized Blockmodeling	23
29	Formalization of blockmodeling	29
38	Pre-specified blockmodeling	38
48	Blockmodeling in 2-mode networks	48
51	Signed graphs	51

Matrix rearrangement view on blockmodeling

Snyder & Kick's World trade network / $n = 118, m = 514$



Alphabetic order of countries (left) and rearrangement (right)

Ordering the matrix


There are several ways how to rearrange a given matrix – determine an *ordering* or *permutation* of its rows and columns – to get some insight into its structure:

- ordering by degree;
- ordering by connected components;
- ordering by core number, connected components inside core levels, and degree;
- ordering according to a hierarchical clustering and some other property.

There exists also some special procedures to determine the ordering such as seriation and clumping (Murtagh).

Blockmodeling as a clustering problem

The goal of *blockmodeling* is to reduce a large, potentially incoherent network to a smaller comprehensible structure that can be interpreted more readily. Blockmodeling, as an empirical procedure, is based on the idea that units in a network can be grouped according to the extent to which they are equivalent, according to some *meaningful* definition of equivalence.



Cluster, clustering, blocks

One of the main procedural goals of blockmodeling is to identify, in a given network $\mathbf{N} = (\mathbf{U}, R)$, $R \subseteq \mathbf{U} \times \mathbf{U}$, *clusters* (classes) of units that share structural characteristics defined in terms of R . The units within a cluster have the same or similar connection patterns to other units. They form a *clustering* $\mathbf{C} = \{C_1, C_2, \dots, C_k\}$ which is a *partition* of the set \mathbf{U} . Each partition determines an equivalence relation (and vice versa). Let us denote by \sim the relation determined by partition \mathbf{C} .

A clustering \mathbf{C} partitions also the relation R into *blocks*

$$R(C_i, C_j) = R \cap C_i \times C_j$$

Each such block consists of units belonging to clusters C_i and C_j and all arcs leading from cluster C_i to cluster C_j . If $i = j$, a block $R(C_i, C_i)$ is called a *diagonal* block.

Structural and regular equivalence

Regardless of the definition of equivalence used, there are two basic approaches to the equivalence of units in a given network (compare Faust, 1988):

- the equivalent units have the same connection pattern to the **same** neighbors;
- the equivalent units have the same or similar connection pattern to (possibly) **different** neighbors.

The first type of equivalence is formalized by the notion of structural equivalence and the second by the notion of regular equivalence with the latter a generalization of the former.

Structural equivalence

Units are equivalent if they are connected to the rest of the network in *identical* ways (Lorrain and White, 1971). Such units are said to be *structurally equivalent*.

The units X and Y are *structurally equivalent*, we write $X \equiv Y$, iff the permutation (transposition) $\pi = (X Y)$ is an automorphism of the relation R (Borgatti and Everett, 1992).

In other words, X and Y are structurally equivalent iff:

- | | | | |
|-----|---------------------------|-----|---|
| s1. | $XRY \Leftrightarrow YRX$ | s3. | $\forall Z \in \mathbf{U} \setminus \{X, Y\} : (XRZ \Leftrightarrow YRZ)$ |
| s2. | $XRX \Leftrightarrow YRY$ | s4. | $\forall Z \in \mathbf{U} \setminus \{X, Y\} : (ZRX \Leftrightarrow ZRY)$ |

...structural equivalence

The blocks for structural equivalence are null or complete with variations on diagonal in diagonal blocks.

0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0

1	0	0	0
0	1	0	0
0	0	1	0
0	0	0	1

1	1	1	1	1
1	1	1	1	1
1	1	1	1	1
1	1	1	1	1

0	1	1	1
1	0	1	1
1	1	0	1
1	1	1	0

Regular equivalence

Integral to all attempts to generalize structural equivalence is the idea that units are equivalent if they link in equivalent ways to other units that are also equivalent.

White and Reitz (1983): The equivalence relation \approx on \mathbf{U} is a *regular equivalence* on network $\mathbf{N} = (\mathbf{U}, R)$ if and only if for all $X, Y, Z \in \mathbf{U}$, $X \approx Y$ implies both

$$\text{R1. } XRZ \Rightarrow \exists W \in \mathbf{U} : (YRW \wedge W \approx Z)$$

$$\text{R2. } ZRX \Rightarrow \exists W \in \mathbf{U} : (WRW \wedge W \approx Z)$$

Another view of regular equivalence is based on colorings (Everett, Borgatti 1996).

...regular equivalence

Theorem 1 (Batagelj, Doreian, Ferligoj, 1992) *Let $\mathbf{C} = \{C_i\}$ be a partition corresponding to a regular equivalence \approx on the network $\mathbf{N} = (\mathbf{U}, R)$. Then each block $R(C_u, C_v)$ is either null or it has the property that there is at least one 1 in each of its rows and in each of its columns. Conversely, if for a given clustering \mathbf{C} , each block has this property then the corresponding equivalence relation is a regular equivalence.*

The blocks for regular equivalence are null or 1-covered blocks.

0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0

1	0	1	0	0
0	0	1	0	1
0	1	0	0	0
1	0	1	1	0

Establishing Blockmodels

The problem of establishing a partition of units in a network in terms of a selected type of equivalence is a special case of *clustering problem* that can be formulated as an optimization problem (Φ, P) as follows:

Determine the clustering $\mathbf{C}^* \in \Phi$ for which

$$P(\mathbf{C}^*) = \min_{\mathbf{C} \in \Phi} P(\mathbf{C})$$

where Φ is the set of *feasible clusterings* and P is a *criterion function*.


Since the set of units \mathbf{U} is finite, the set of feasible clusterings is also finite. Therefore the set $\text{Min}(\Phi, P)$ of all solutions of the problem (optimal clusterings) is not empty.

Criterion function

Criterion functions can be constructed

- *indirectly* as a function of a compatible (dis)similarity measure between pairs of units, or
- *directly* as a function measuring the fit of a clustering to an ideal one with perfect relations within each cluster and between clusters according to the considered types of connections (equivalence).

Indirect Approach



Dissimilarities

The property $t : \mathbf{U} \rightarrow \mathbb{R}$ is *structural property* if, for every automorphism φ , of the relation R , and every unit $x \in \mathbf{U}$, it holds that $t(x) = t(\varphi(x))$.

Some examples of a structural property include

$t(u) =$ the *degree* of unit u ;

$t(u) =$ number of units at *distance* d from the unit u ;

$t(u) =$ number of *triads* of type x at the unit u .

Centrality measures are further examples of structural properties.

We can define the description of the unit u as $[u] = [t_1(u), t_2(u), \dots, t_m(u)]$.

As a simple example, t_1 could be *degree* centrality, t_2 could be *closeness* centrality and t_3 could be *betweenness* centrality. The dissimilarity between units u and v could be defined as $d(u, v) = D([u], [v])$ where D is some (standard) dissimilarity between real vectors. In the simple example, D could be the *Euclidean* distance between the centrality profiles.

Dissimilarities based on matrices

We consider the following list of dissimilarities between units x_i and x_j where the description of the unit consists of the row and column of the property matrix $\mathbf{Q} = [q_{ij}]$. We take as units the rows of the matrix

$$\mathbf{X} = [\mathbf{Q}\mathbf{Q}^T]$$

... Dissimilarities

Manhattan distance: $d_m(x_i, x_j) = \sum_{s=1}^n (|q_{is} - q_{js}| + |q_{si} - q_{sj}|)$

Euclidean distance:

$$d_E(x_i, x_j) = \sqrt{\sum_{s=1}^n ((q_{is} - q_{js})^2 + (q_{si} - q_{sj})^2)}$$

Truncated Manhattan distance: $d_s(x_i, x_j) = \sum_{\substack{s=1 \\ s \neq i, j}}^n (|q_{is} - q_{js}| + |q_{si} - q_{sj}|)$

Truncated Euclidean distance (Faust, 1988):

$$d_S(x_i, x_j) = \sqrt{\sum_{\substack{s=1 \\ s \neq i, j}}^n ((q_{is} - q_{js})^2 + (q_{si} - q_{sj})^2)}$$

... Dissimilarities

Corrected Manhattan-like dissimilarity ($p \geq 0$):

$$d_c(p)(x_i, x_j) = d_s(x_i, x_j) + p \cdot (|q_{ii} - q_{jj}| + |q_{ij} - q_{ji}|)$$

Corrected Euclidean-like dissimilarity (Burt and Minor, 1983):

$$d_e(p)(x_i, x_j) = \sqrt{d_s(x_i, x_j)^2 + p \cdot ((q_{ii} - q_{jj})^2 + (q_{ij} - q_{ji})^2)}$$

Corrected dissimilarity:

$$d_C(p)(x_i, x_j) = \sqrt{d_c(p)(x_i, x_j)}$$

The parameter, p , can take any positive value. Typically, $p = 1$ or $p = 2$, where these values count the number of times the corresponding diagonal pairs are counted.

...Dissimilarities

It is easy to verify that all expressions from the list define a dissimilarity (i.e. that $d(x, y) \geq 0$; $d(x, x) = 0$; and $d(x, y) = d(y, x)$). Each of the dissimilarities from the list can be assessed to see whether or not it is also a distance: $d(x, y) = 0 \Rightarrow x = y$ and $d(x, y) + d(y, z) \geq d(x, z)$.

The dissimilarity measure d is *compatible* with a considered equivalence \sim if for each pair of units holds

$$X_i \sim X_j \Leftrightarrow d(X_i, X_j) = 0$$

Not all dissimilarity measures typically used are compatible with structural equivalence. For example, the *corrected Euclidean-like dissimilarity* is compatible with structural equivalence.

The indirect clustering approach does not seem suitable for establishing clusterings in terms of regular equivalence since there is no evident way how to construct a compatible (dis)similarity measure.

Example: Support network among informatics students


The analyzed network consists of social support exchange relation among fifteen students of the Social Science Informatics fourth year class (2002/2003) at the Faculty of Social Sciences, University of Ljubljana. Interviews were conducted in October 2002.

Support relation among students was identified by the following question:

Introduction: You have done several exams since you are in the second class now. Students usually borrow studying material from their colleagues.

Enumerate (list) the names of your colleagues that you have most often borrowed studying material from. (The number of listed persons is not limited.)


Class network



[class.net](#)

Vertices represent students in the class; circles – girls, squares – boys. Opposite pairs of arcs are replaced by edges.

Indirect approach




Using *Corrected Euclidean-like dissimilarity* and *Ward clustering method* we obtain the following dendrogram.

From it we can determine the number of clusters: 'Natural' clusterings correspond to clear 'jumps' in the dendrogram.

If we select 3 clusters we get the partition **C**.

$$\mathbf{C} = \left\{ \left\{ b51, b89, b02, b96, b03, b85, g10, g24 \right\}, \left\{ g09, g63, g12 \right\}, \left\{ g07, g28, g22, g42 \right\} \right\}$$


Partition in 3 clusters



On the picture, vertices in the same cluster are of the same color.

Matrix

Pajek - shadow [0.00,1.00]



The partition can be used also to reorder rows and columns of the matrix representing the network. Clusters are divided using blue vertical and horizontal lines.

Direct Approach and Generalized Blockmodeling


The second possibility for solving the blockmodeling problem is to construct an appropriate criterion function directly and then use a local optimization algorithm to obtain a ‘good’ clustering solution.

Criterion function $P(\mathbf{C})$ has to be *sensitive* to considered equivalence:

$$P(\mathbf{C}) = 0 \Leftrightarrow \mathbf{C} \text{ defines considered equivalence.}$$


Generalized Blockmodeling

A *blockmodel* consists of structures obtained by identifying all units from the same cluster of the clustering C . For an exact definition of a blockmodel we have to be precise also about which blocks produce an arc in the *reduced graph* and which do not, and of what *type*. Some types of connections are presented in the figure on the next slide. The reduced graph can be represented by relational matrix, called also *image matrix*.




Block Types


complete




row-dominant




col-dominant




regular




row-regular




col-regular




null



row-functional



col-functional



Generalized equivalence / Block Types

	Y				
X	1	1	1	1	1
	1	1	1	1	1
	1	1	1	1	1
	1	1	1	1	1

complete

	Y				
X	0	1	0	0	0
	1	1	1	1	1
	0	0	0	0	0
	0	0	0	1	0

row-dominant

	Y				
X	0	0	1	0	0
	0	0	1	1	0
	1	1	1	0	0
	0	0	1	0	1

col-dominant

	Y				
X	0	1	0	0	0
	1	0	1	1	0
	0	0	1	0	1
	1	1	0	0	0

regular

	Y				
X	0	1	0	0	0
	0	1	1	0	0
	1	0	1	0	0
	0	1	0	0	1

row-regular

	Y				
X	0	1	0	1	0
	1	0	1	0	0
	1	1	0	1	1
	0	0	0	0	0

col-regular

	Y				
X	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0

null











	Y				
X	0	0	0	1	0
	0	0	1	0	0
	1	0	0	0	0
	0	0	0	1	0

row-functional

	Y				
X	1	0	0	0	0
	0	1	0	0	0
	0	0	1	0	0
	0	0	0	0	0
	0	0	0	0	1

col-functional

Characterizations of Types of Blocks

null	nul	all 0 *	
complete	com	all 1 *	
regular	reg	1-covered rows and columns	
row-regular	rre	each row is 1-covered	
col-regular	cre	each column is 1 -covered	
row-dominant	rdo	\exists all 1 row *	
col-dominant	cdo	\exists all 1 column *	
row-functional	rfn	$\exists!$ one 1 in each row	
col-functional	cfn	$\exists!$ one 1 in each column	
non-null	one	\exists at least one 1	


* except this may be diagonal

A block is *symmetric* iff $\forall X, Y \in C_i \times C_j : (XRY \Leftrightarrow YRX)$.

Block Types and Matrices

1	1	1	1	1	1	0	0
1	1	1	1	0	1	0	1
1	1	1	1	0	0	1	0
1	1	1	1	1	0	0	0
0	0	0	0	0	1	1	1
0	0	0	0	1	0	1	1
0	0	0	0	1	1	0	1
0	0	0	0	1	1	1	0

	C_1	C_2
C_1	complete	regular
C_2	null	complete



Formalization of blockmodeling

Let V be a set of positions or images of clusters of units. Let $\mu : \mathbf{U} \rightarrow V$ denote a mapping which maps each unit to its position. The cluster of units $C(t)$ with the same position $t \in V$ is

$$C(t) = \mu^{-1}(t) = \{X \in \mathbf{U} : \mu(X) = t\}$$

Therefore

$$\mathbf{C}(\mu) = \{C(t) : t \in V\}$$

is a partition (clustering) of the set of units \mathbf{U} .

Blockmodel

A *blockmodel* is an ordered sextuple $\mathcal{M} = (V, K, \mathcal{T}, Q, \pi, \alpha)$ where:

- V is a set of *types of units* (images or representatives of classes);
- $K \subseteq V \times V$ is a set of *connections*;
- \mathcal{T} is a set of predicates used to describe the *types of connections* between different classes (clusters, groups, types of units) in a network. We assume that $\text{nul} \in \mathcal{T}$. A mapping $\pi : K \rightarrow \mathcal{T} \setminus \{\text{nul}\}$ assigns predicates to connections;
- Q is a set of *averaging rules*. A mapping $\alpha : K \rightarrow Q$ determines rules for computing values of connections.

A (surjective) mapping $\mu : \mathbf{U} \rightarrow V$ determines a blockmodel \mathcal{M} of network \mathbf{N} iff it satisfies the conditions: $\forall (t, w) \in K : \pi(t, w)(C(t), C(w))$ and $\forall (t, w) \in V \times V \setminus K : \text{nul}(C(t), C(w))$.

Equivalences

Let \sim be an equivalence relation over \mathbf{U} and $[X] = \{Y \in \mathbf{U} : X \sim Y\}$.
We say that \sim is *compatible* with \mathcal{T} over a network \mathbf{N} iff

$$\forall X, Y \in \mathbf{U} \exists T \in \mathcal{T} : T([X], [Y]).$$

It is easy to verify that the notion of compatibility for $\mathcal{T} = \{\text{nul}, \text{reg}\}$ reduces to the usual definition of regular equivalence (White and Reitz 1983). Similarly, compatibility for $\mathcal{T} = \{\text{nul}, \text{com}\}$ reduces to structural equivalence (Lorrain and White 1971).

For a compatible equivalence \sim the mapping $\mu: X \mapsto [X]$ determines a blockmodel with $V = \mathbf{U} / \sim$.

The problem of establishing a partition of units in a network in terms of a selected type of equivalence is a special case of **clustering problem** that can be formulated as an optimization problem.

Criterion function

One of the possible ways of constructing a criterion function that directly reflects the considered equivalence is to measure the fit of a clustering to an ideal one with perfect relations within each cluster and between clusters according to the considered equivalence.

Given a clustering $\mathbf{C} = \{C_1, C_2, \dots, C_k\}$, let $\mathcal{B}(C_u, C_v)$ denote the set of all ideal blocks corresponding to block $R(C_u, C_v)$. Then the global error of clustering \mathbf{C} can be expressed as

$$P(\mathbf{C}) = \sum_{C_u, C_v \in \mathbf{C}} \min_{B \in \mathcal{B}(C_u, C_v)} d(R(C_u, C_v), B)$$

where the term $d(R(C_u, C_v), B)$ measures the difference (error) between the block $R(C_u, C_v)$ and the ideal block B . d is constructed on the basis of characterizations of types of blocks. The function d has to be compatible with the selected type of equivalence.

... criterion function

For example, for structural equivalence, the term $d(R(C_u, C_v), B)$ can be expressed, for non-diagonal blocks, as

$$d(R(C_u, C_v), B) = \sum_{X \in C_u, Y \in C_v} |r_{XY} - b_{XY}|.$$

where r_{XY} is the observed tie and b_{XY} is the corresponding value in an ideal block. This criterion function counts the number of 1s in erstwhile null blocks and the number of 0s in otherwise complete blocks. These two types of inconsistencies can be weighted differently.

Determining the block error, we also determine the type of the best fitting ideal block (the types are ordered).

The criterion function $P(\mathbf{C})$ is *sensitive* iff $P(\mathbf{C}) = 0 \Leftrightarrow \mu$ (determined by \mathbf{C}) is an exact blockmodeling. For all presented block types sensitive criterion functions can be constructed (Batagelj, 1997).

Deviations Measures for Types of Blocks

We can efficiently test whether a block $R(X, Y)$ is of the type T by making use of the characterizations of block types. On this basis we can construct the corresponding deviation measures. The quantities used in the expressions for deviations have the following meaning:

- s_t – total block sum = # of 1s in a block,
- n_r = card X – # of rows in a block,
- n_c = card Y – # of columns in a block,
- p_r – # of non-null rows in a block,
- p_c – # of non-null columns in a block,
- m_r – maximal row-sum,
- m_c – maximal column-sum,
- s_d – diagonal block sum = # of 1s on a diagonal,
- d – diagonal error = $\min(s_d, n_r - s_d)$.

Throughout the number of elements in a block is $n_r n_c$.

... Deviations Measures for Types of Blocks

Connection	$\delta(X, Y; T)$	
null	$\begin{cases} s_t \\ s_t + d - s_d \end{cases}$	nondiagonal diagonal
complete	$\begin{cases} n_r n_c - s_t \\ n_r n_c - s_t + d + s_d - n_r \end{cases}$	nondiagonal diagonal
row-dominant	$\begin{cases} (n_c - m_r - 1)n_r \\ (n_c - m_r)n_r \end{cases}$	diagonal, $s_d = 0$ otherwise
col-dominant	$\begin{cases} (n_r - m_c - 1)n_c \\ (n_r - m_c)n_c \end{cases}$	diagonal, $s_d = 0$ otherwise
row-regular	$(n_r - p_r)n_c$	
col-regular	$(n_c - p_c)n_r$	
regular	$(n_c - p_c)n_r + (n_r - p_r)p_c$	
row-functional	$s_t - p_r + (n_r - p_r)n_c$	
col-functional	$s_t - p_c + (n_c - p_c)n_r$	
density γ	$\max(0, \gamma n_r n_c - s_t)$	

For the null, complete, row-dominant and column-dominant blocks it is necessary to distinguish diagonal blocks and non-diagonal blocks.

Solving the blockmodeling problem

The obtained optimization problem can be solved by local optimization.

Once a partitioning μ and types of connection π are determined, we can also compute the values of connections by using averaging rules.

Benefits from Optimization Approach

- *ordinary / inductive blockmodeling*: Given a network \mathbf{N} and set of types of connection \mathcal{T} , determine the model \mathcal{M} ;
- *evaluation of the quality of a model, comparing different models, analyzing the evolution of a network* (Sampson data, Doreian and Mrvar 1996): Given a network \mathbf{N} , a model \mathcal{M} , and blockmodeling μ , compute the corresponding criterion function;
- *model fitting / deductive blockmodeling*: Given a network \mathbf{N} , set of types \mathcal{T} , and a family of models, determine μ which minimizes the criterion function (Batagelj, Ferligoj, Doreian, 1998).
- we can fit the network to a partial model and analyze the residual afterward;
- we can also introduce different constraints on the model, for example: units X and Y are of the same type; or, types of units X and Y are not connected; ...

Pre-specified blockmodeling

In the previous slides the inductive approaches for establishing blockmodels for a set of social relations defined over a set of units were discussed. Some form of equivalence is specified and clusterings are sought that are consistent with a specified equivalence.

Another view of blockmodeling is deductive in the sense of starting with a blockmodel that is specified in terms of substance prior to an analysis.

In this case given a network, set of types of ideal blocks, and a reduced model, a solution (a clustering) can be determined which minimizes the criterion function.

Pre-Specified Blockmodels

The pre-specified blockmodeling starts with a blockmodel specified, in terms of substance, *prior to an analysis*. Given a network, a set of ideal blocks is selected, a family of reduced models is formulated, and partitions are established by minimizing the criterion function.

The basic types of models are:

*	*
*	0

center -
periphery

*	0
*	*

hierarchy

*	0
0	*

clustering

0	*
*	0

bipartition

Prespecified blockmodeling example

We expect that center-periphery model exists in the network: some students having good studying material, some not.


Prespecified blockmodel: (com/complete, reg/regular, -/null block)

	1	2
1	[com reg]	-
2	[com reg]	-

Using local optimization we get the partition:

$$\mathbf{C} = \left\{ \{b02, b03, b51, b85, b89, b96, g09\}, \right. \\ \left. \{g07, g10, g12, g22, g24, g28, g42, g63\} \right\}$$

2 clusters solution



Model

Pajek - shadow [0.00,1.00]




Image and Error Matrices:

	1	2		1	2
1	reg	-	1	0	3
2	reg	-	2	0	2


Total error = 5

The Student Government at the University of Ljubljana in 1992


The relation is determined by the following question (Hlebec, 1993):

Of the members and advisors of the Student Government, whom do you most often talk with about the matters of the Student Government?

		m	p	m	m	m	m	m	a	a	a	
		1	2	3	4	5	6	7	8	9	10	11
minister 1	1	.	1	1	.	.	1
p.minister	2	1	.	.	.
minister 2	3	1	1	.	1	.	1	1	1	.	.	.
minister 3	4	1	1	.	.	.
minister 4	5	.	1	.	1	.	1	1	1	.	.	.
minister 5	6	.	1	.	1	1	.	1	1	.	.	.
minister 6	7	.	.	.	1	.	.	.	1	1	.	1
minister 7	8	.	1	.	1	.	.	1	.	.	.	1
adviser 1	9	.	.	.	1	.	.	1	1	.	.	1
adviser 2	10	1	.	1	1	1
adviser 3	11	1	.	1	1	.	.



A Symmetric Acyclic Blockmodel of Student Government




The obtained clustering in 4 clusters is almost exact. The only error is produced by the arc $(a3, m5)$.

Ragusan Noble Families Marriage Network, 18th and 19th Century

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Basilio	1	1	.	.
Bona	2	1	.	.	.	2	.	2	1	.	.
Bonda	3	2	.	.
Bosdari	4	.	1	1
Bucchia	5	1
Caboga	6	1	1	1	1	.	1	.	.
Cerva	7	.	1	.	.	.	1	1	1	.	.
Georgi	8	.	1	2	.	.	.	1	4	1
Ghetaldi	9	.	1	1	.	1	.	.	1	1
Gondola	10	.	1
Goze	11	1	2	1	2	2	2	1	.
Gradi	12	1	1	3	.	.
Menze	13	1	.	.	1	1
Natali	14
Pauli	15	.	1
Poza	16	.	.	2	1	1	1	.	.
Ragnina	17	.	1	1	1	1	.	.
Resti	18	1	1
Saraca	19	1
Slatarich	20
Sorgo	21	.	2	1	1	1	1	.	1
Tudisi	22	1	.	.
Zamagna	23	.	1	2	1	.	.

A Symmetric-Acyclic Decomposition of the Ragusan Families Network



Demo with Pajek

Read Network Tina.net

Net/Transform/Arcs-->Edges/Bidirected Only/Max

Draw/Draw

Layout/Energy/Kamada-Kawai/Free

Operations/Blockmodeling/Restricted Options [On]

Operations/Blockmodeling/Random Start

[4, Ranks.MDL], [Repetitions, 100], [Clusters, 4], [RUN]

extend the dialog box to see the model

Draw/Draw-Partition

Blockmodeling in 2-mode networks

We already presented some ways of rearranging 2-mode network matrices at the beginning of this lecture.

It is also possible to formulate this goal as a generalized blockmodeling problem where the solutions consist of two partitions — row-partition and column-partition.


Supreme Court Voting for Twenty-Six Important Decisions

Issue	Label	Br	Gi	So	St	OC	Ke	Re	Sc	Th
Presidential Election	PE	-	-	-	-	+	+	+	+	+
Criminal Law Cases										
Illegal Search 1	CL1	+	+	+	+	+	+	-	-	-
Illegal Search 2	CL2	+	+	+	+	+	+	-	-	-
Illegal Search 3	CL3	+	+	+	-	-	-	-	+	+
Seat Belts	CL4	-	-	+	-	-	+	+	+	+
Stay of Execution	CL5	+	+	+	+	+	+	-	-	-
Federal Authority Cases										
Federalism	FA1	-	-	-	-	+	+	+	+	+
Clean Air Action	FA2	+	+	+	+	+	+	+	+	+
Clean Water	FA3	-	-	-	-	+	+	+	+	+
Cannabis for Health	FA4	0	+	+	+	+	+	+	+	+
United Foods	FA5	-	-	+	+	-	+	+	+	+
NY Times Copyrights	FA6	-	+	+	-	+	+	+	+	+
Civil Rights Cases										
Voting Rights	CR1	+	+	+	+	+	-	-	-	-
Title VI Disabilities	CR2	-	-	-	-	+	+	+	+	+
PGA v. Handicapped Player	CR3	+	+	+	+	+	+	+	-	-
Immigration Law Cases										
Immigration Jurisdiction	Im1	+	+	+	+	-	+	-	-	-
Deporting Criminal Aliens	Im2	+	+	+	+	+	-	-	-	-
Detaining Criminal Aliens	Im3	+	+	+	+	-	+	-	-	-
Citizenship	Im4	-	-	-	+	-	+	+	+	+
Speech and Press Cases										
Legal Aid for Poor	SP1	+	+	+	+	-	+	-	-	-
Privacy	SP2	+	+	+	+	+	+	-	-	-
Free Speech	SP3	+	-	-	-	+	+	+	+	+
Campaign Finance	SP4	+	+	+	+	+	-	-	-	-
Tobacco Ads	SP5	-	-	-	-	+	+	+	+	+
Labor and Property Rights Cases										
Labor Rights	LPR1	-	-	-	-	+	+	+	+	+
Property Rights	LPR2	-	-	-	-	+	+	+	+	+

The Supreme Court Justices and their ‘votes’ on a set of 26 “important decisions” made during the 2000-2001 term, Doreian and Fujimoto (2002).

The Justices (in the order in which they joined the Supreme Court) are: Rehnquist (1972), Stevens (1975), O’Conner (1981), Scalia (1982), Kennedy (1988), Souter (1990), Ginsburg (1993) and Breyer (1994).

...Supreme Court Voting / a (4,7) partition



upper – conservative / lower – liberal

Signed graphs

A *signed graph* is an ordered pair (G, σ) where

- $G = (V, R)$ is a directed graph (without loops) with set of vertices V and set of arcs $R \subseteq V \times V$;
- $\sigma : R \rightarrow \{p, n\}$ is a *sign* function. The arcs with the sign p are *positive* and the arcs with the sign n are *negative*. We denote the set of all positive arcs by R^+ and the set of all negative arcs by R^- .

The case when the graph is undirected can be reduced to the case of directed graph by replacing each edge e by a pair of opposite arcs both signed with the sign of the edge e .

Balanced and clusterable signed graphs

The signed graphs were introduced in Harary, 1953 and later studied by several authors. Following Roberts (1976, p. 75–77) a signed graph (G, σ) is:

- *balanced* iff the set of vertices V can be partitioned into two subsets so that every positive arc joins vertices of the same subset and every negative arc joins vertices of different subsets.
- *clusterable* iff the set of V can be partitioned into subsets, called *clusters*, so that every positive arc joins vertices of the same subset and every negative arc joins vertices of different subsets.

... Properties

The (semi)walk on the signed graph is *positive* iff it contains an even number of negative arcs; otherwise it is *negative*.

The balanced and clusterable signed graphs are characterised by the following theorems:

THEOREM 1. A signed graph (G, σ) is balanced iff every closed semiwalk is positive.

THEOREM 2. A signed graph (G, σ) is clusterable iff G contains no closed semiwalk with exactly one negative arc.

Chartrand's example – closures

	1	2	3	4	5	6	7	8	9		1	2	3	4	5	6	7	8	9
1	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	1	p	<i>n</i>	<i>n</i>	<i>n</i>	p	p	<i>n</i>	<i>n</i>	p
2	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	2	<i>n</i>	p	p	p	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>
3	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	3	<i>n</i>	p	p	p	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>
4	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	4	<i>n</i>	p	p	p	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>
5	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	5	p	<i>n</i>	<i>n</i>	<i>n</i>	p	p	<i>n</i>	<i>n</i>	p
6	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	6	p	<i>n</i>	<i>n</i>	<i>n</i>	p	p	<i>n</i>	<i>n</i>	p
7	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	7	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	p	p	<i>n</i>
8	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	8	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	p	p	<i>n</i>
9	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	9	p	<i>n</i>	<i>n</i>	<i>n</i>	p	p	<i>n</i>	<i>n</i>	p

On the left side of the table the corresponding balance-closure is given – the graph is not balanced. From the cluster-closure on the right side of the table we can see that the graph is clusterable and it has the clusters

$$V_1 = \{1, 5, 6, 9\}, \quad V_2 = \{2, 3, 4\}, \quad V_3 = \{7, 8\}$$

Clusterability and blockmodeling

To the sign graph clusterability problemu corespond three types of blocks:

- *null* all elements in a block are 0;
- *positive* all elements in a block are positive or 0;
- *negative* all elements in a block are negative or 0;

If a graph is clusterable the blocks determined by the partition are: positive or null on the diagonal; and negative or null outside the diagonal.

The clusterability of partition $\mathbf{C} = \{C_1, C_2, \dots, C_k\}$ can be therefore measured as follows ($0 \leq \alpha \leq 1$):

$$P_{\alpha}(\mathbf{C}) = \alpha \sum_{C \in \mathbf{C}} \sum_{u, v \in C} \max(0, -w_{uv}) + (1 - \alpha) \sum_{\substack{C, C' \in \mathbf{C} \\ C \neq C'}} \sum_{u \in C, v \in C'} \max(0, w_{uv})$$

The blockmodeling problem can be solved by local optimization.

Slovenian political parties 1994 (S. Kropivnik)

		1	2	3	4	5	6	7	8	9	10
SKD	1	0	-215	114	-89	-77	94	-170	176	117	-210
ZLSD	2	-215	0	-217	134	77	-150	57	-253	-230	49
SDSS	3	114	-217	0	-203	-80	138	-109	177	180	-174
LDS	4	-89	134	-203	0	157	-142	173	-241	-254	23
ZSESS	5	-77	77	-80	157	0	-188	170	-120	-160	-9
ZS	6	94	-150	138	-142	-188	0	-97	140	116	-106
DS	7	-170	57	-109	173	170	-97	0	-184	-191	-6
SLS	8	176	-253	177	-241	-120	140	-184	0	235	-132
SPS-SNS	9	117	-230	180	-254	-160	116	-191	235	0	-164
SNS	10	-210	49	-174	23	-9	-106	-6	-132	-164	0

SKD – Slovene Christian Democrats; ZLSD – Associated List of Social Democrats; SDSS – Social Democratic Party of Slovenia;

LDS – Liberal Democratic Party; ZSESS and ZS – two Green Parties, separated after 1992 elections; DS – Democratic Party;

SLS – Slovene People’s Party; SNS – Slovene National Party; SPS SNS – a group of deputies, former members of SNS, separated after 1992 elections

Network **Stranke94**.

Slovenian political parties 1994 / reordered

		1	3	6	8	9	2	4	5	7	10
SKD	1	0	114	94	176	117	-215	-89	-77	-170	-210
SDSS	3	114	0	138	177	180	-217	-203	-80	-109	-174
ZS	6	94	138	0	140	116	-150	-142	-188	-97	-106
SLS	8	176	177	140	0	235	-253	-241	-120	-184	-132
SPS-SNS	9	117	180	116	235	0	-230	-254	-160	-191	-164
ZLSD	2	-215	-217	-150	-253	-230	0	134	77	57	49
LDS	4	-89	-203	-142	-241	-254	134	0	157	173	23
ZSESS	5	-77	-80	-188	-120	-160	77	157	0	170	-9
DS	7	-170	-109	-97	-184	-191	57	173	170	0	-6
SNS	10	-210	-174	-106	-132	-164	49	23	-9	-6	0

S. Kropivnik, A. Mrvar: An Analysis of the Slovene Parliamentary Parties Network. in Developments in data analysis, MZ 12, FDV, Ljubljana, 1996, p. 209-216.